ACL**Staticide**



Directions:

To use, spray surface from a distance of 4-6 inches. Apply cleaner from top to bottom, allowing the liquid to flush away flux residues, rosin, oil, and grease. Special valve allows for 360° spraying.

For industrial use only. Read SDS carefully prior to use.

Good

Material Compatibility:

ABS
Buna-N
EPDM
Graphite
HDPE
Kynar™
LDPE
Lexan™
Neoprene
Noryl
Nylon™ 66
Cross-linked PE
Polypropylene
Polystyrene
PVC
Silicone Rubber
Teflon™
Viton™



Product# 8620

11 oz (312g) aerosol / 12 per case

Flux Remover Heavy Duty Specialized for Advanced Plastics

8620 Staticide®

This highly specialized, full-strength flux remover is our most plastic-safe, non-flammable, flux-eliminating solvent. This product can be used in any industrial setting, but is an excellent choice for areas with sources of ignition or heat. Because of this flux remover's compatibility with sensitive plastics, it is ideal for applications found in medical device manufacturing. Flux Remover Heavy Duty will effectively remove the toughest deposits, synthetic fluxes, soldering oils, and other contaminants such as dirt, grease, and molding compounds.

Ideal for the following applications:

- Medical device manufacturing and assembly
- Aviation, avionics, and medical device prototyping
- Telecom manufacturing and installation

FEATURES:

- Suitable to use in high risk safety areas
- Plastic-safe even on soft plastics
- Removes oil, grease, ionic, and non-ionic residues
- Cleans and removes R, RA, RMA, and all synthetic flux residues
- Non-abrasive, non-flammable, non-corrosive
- Evaporates quickly; non-residual
- Øzone safe; contains no CFCs or HCFCs
- Slightly water soluble

ACL**Staticide**.

840 W. 49th Place · Chicago, IL 60609 800.782.8420 · 847.981.9212 · fax 847.981.9278 info@aclstaticide.com · www.aclstaticide.com



ACL Inc. registered to ISO-9001 : 2015 Certificate NO. 10002746

Rev. 04/17/2023 MKB